ELSEVIER

Analytica Chimica Acta 450 (2001) 269–271

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Akhond, M., see Shamsipur, M. 37
Al Saadi, M.S.M., see Mahmoud, M.E. 239
Allen, M., see Kim, I.S. 13

Barbante, C., see Planchon, F.A.M. 193
Bauza, R.
—, Ríos, A. and Valcárcel, M.
Supercritical fluid extraction with in situ chiral derivatization for the enantiospecific determination of ibuprofen in urine samples 1
Bosch-Reig, F., see Tortajada-Genaro, L.A. 155
Bosworth, T.
—, Setford, S., Heywood, R. and Saini, S.
Pulsed amperometric detection of furan compounds in transformer oil 253
Boutron, C.F., see Planchon, F.A.M. 193

Campíns-Falcó, P., see Tortajada-Genaro, L.A. 155
Cescon, P., see Planchon, F.A.M. 193
Chan, W.F., see Gong, Z. 207
Chang, X.
—, Yang, X., Wei, X. and Wu, K.
Efficiency and mechanism of new poly(acryl-phenylamidrazone phenylhydrazide) chelating fiber for adsorbing trace Ga, In, Bi, V and Ti from solution 231
Chau, F.-T., see Gong, F. 99
Chen, J.
— and Teo, K.C.
Determination of cadmium, copper, lead and zinc in water samples by flame atomic absorption spectrometry after cloud point extraction 215
Chen, W., see Zhang, T. 53
Chowdhry, B.Z., see Shadi, I.T. 115
Cozzi, G., see Planchon, F.A.M. 193

Das, A.K., see Mondal, B.C. 223
Das, D., see Mondal, B.C. 223
Dias, J.R.M., see Esteves da Silva, J.C.G. 175

Erdem, A., see Kerman, K. 45
Esteves da Silva, J.C.G.
—, Dias, J.R.M. and Magalhães, J.M.C.S.
Factorial analysis of a chemiluminescence system for bromate detection in water 175
Estienne, F.
— and Massart, D.L.
Mutlivariate calibration with Raman data using fast principal component regression and partial least squares methods 123
Evmiridis, N.P., see Yao, D. 63

Ferrari, C.P., see Planchon, F.A.M. 193

Gaspari, V., see Planchon, F.A.M. 193
Gong, F.
—, Liang, Y.-Z., Xu, Q.-S., Chau, F.-T. and Ng, K.-M.
Evaluation of separation quality in two-dimensional hyphenated chromatography 99
Gong, Z.
—, Chan, W.F., Wang, X. and Lee, F.S.-.C.
Determination of arsenic and antimony by microwave plasma atomic emission spectrometry coupled with hydride generation and a PTFE membrane separator 207

Heywood, R., see Bosworth, T. 253
Heywood, R., see Kim, I.S. 13
Hua, L., see Tan, S.N. 263

Inoue, H., see Kaya, K. 73

Kara, P., see Kerman, K. 45
Karayannis, M.I., see Yao, D. 63
Karlberg, B., see Moberg, L. 143
Kawano, S., see Pravdova, V. 131
Kaya, K.
—, Sano, T., Inoue, H. and Takagi, H.
Selective determination of total normal microcystin by colorimetry, LC/UV detection and/or LC/MS 73
Kerman, K.
—, Meric, B., Ozkan, D., Kara, P., Erdem, A. and Ozsoz, M.
Electrochemical DNA biosensor for the determination of benzo[*a*]pyrene–DNA adducts 45
Kim, I.S.
—, Ritchie, L., Setford, S., Taylor, J., Allen, M., Wilson, G., Heywood, R., Pahlavanpour, B. and Saini, S.
Quantitative immunoassay for determining polyaromatic hydrocarbons in electrical insulating oils 13
Klejdus, B.
—, Vitamvásová-Štěrbová, D. and Kubáň, V.
Identification of isoflavone conjugates in red clover (*Trifolium*

PII: S0003-2670(01)01511-2

pratense) by liquid chromatography–mass spectrometry after two-dimensional solid-phase extraction 81
Kubáň, V., see Klejdus, B. 81

Lee, F.S.-.C., see Gong, Z. 207
Li, K., see Zhang, T. 53
Liang, Y.-Z., see Gong, F. 99
Lin, X., see Nie, L. 185
Linge, K.L.
— and Oldham, C.E.
Interference from arsenate when determining phosphate by the malachite green spectrophotometric method 247
Liu, F., see Zhang, T. 53

Magalhães, J.M.C.S., see Esteves da Silva, J.C.G. 175
Mahmoud, M.E.
— and Al Saadi, M.S.M.
Selective solid phase extraction and preconcentration of iron(III) based on silica gel-chemically immobilized purpurogallin 239
Massart, D.L., see Estienne, F. 123
Massart, D.L., see Pravdova, V. 131
Meric, B., see Kerman, K. 45
Moberg, L.
— and Karlberg, B.
Validation of a multivariate calibration method for the determination of chlorophyll *a*, *b* and *c* and their corresponding pheopigments 143
Mondal, B.C.
—, Das, D. and Das, A.K.
Application of a new resin functionalised with 6-mercaptopurine for mercury and silver determination in environmental samples by atomic absorption spectrometry 223

Naseri, M.A., see Shamsipur, M. 37
Ng, K.-M., see Gong, F. 99
Nie, L.
—, Wu, S., Wang, J., Zheng, L., Lin, X. and Rui, L.
Continuous wavelet transform and its application to resolving and quantifying the overlapped voltammetric peaks 185

Oldham, C.E., see Linge, K.L. 247
Ozkan, D., see Kerman, K. 45
Ozsoz, M., see Kerman, K. 45

Pahlavanpour, B., see Kim, I.S. 13
Planchon, F.A.M.
—, Boutron, C.F., Barbante, C., Wolff, E.W., Cozzi, G., Gaspari, V., Ferrari, C.P. and Cescon, P.
Ultrasensitive determination of heavy metals at the sub-picogram per gram level in ultraclean Antarctic snow samples by inductively coupled plasma sector field mass spectrometry 193
Pravdova, V.
—, Walczak, B., Massart, D.L., Kawano, S., Toyoda, K. and Tsenkova, R.
Calibration of somatic cell count in milk based on near-infrared spectroscopy 131
Prodromidis, M.I., see Yao, D. 63

Rapp, M., see Stahl, U. 27
Ritchie, L., see Kim, I.S. 13
Ríos, A., see Bauza, R. 1
Rui, L., see Nie, L. 185

Saini, S., see Bosworth, T. 253
Saini, S., see Kim, I.S. 13
Sano, T., see Kaya, K. 73
Setford, S., see Bosworth, T. 253
Setford, S., see Kim, I.S. 13
Shadi, I.T.
—, Chowdhry, B.Z., Snowden, M.J. and Withnall, R.
Semi-quantitative trace analysis of nuclear fast red by surface enhanced resonance Raman scattering 115
Shamsipur, M.
—, Soleymanpour, A., Akhond, M., Sharghi, H. and Naseri, M.A.
Iodide-selective carbon paste electrodes based on recently synthesized Schiff base complexes of Fe(III) 37
Sharghi, H., see Shamsipur, M. 37
Snowden, M.J., see Shadi, I.T. 115
Soleymanpour, A., see Shamsipur, M. 37
Stahl, U.
—, Rapp, M. and Wessa, T.
Adhesives: a new class of polymer coatings for surface acoustic wave sensors for fast and reliable process control applications 27

Takagi, H., see Kaya, K. 73
Tan, S.N.
— and Hua, L.
Amperometric detection of cytochrome *c* by capillary electrophoresis at a sol–gel carbon composite electrode 263
Taylor, J., see Kim, I.S. 13
Teo, K.C., see Chen, J. 215
Tortajada-Genaro, L.A.
—, Campíns-Falcó, P., Verdú-Andrés, J. and Bosch-Reig, F.
Multivariate versus univariate calibration for nonlinear chemiluminescence data. Application to chromium determination by luminol-hydrogen peroxide reaction 155
Toyoda, K., see Pravdova, V. 131
Tsenkova, R., see Pravdova, V. 131

Valcárcel, M., see Bauza, R. 1
Verdú-Andrés, J., see Tortajada-Genaro, L.A. 155
Vitamvásová-Štěrbová, D., see Klejdus, B. 81
Vlessidis, A.G., see Yao, D. 63

Walczak, B., see Pravdova, V. 131
Wang, J., see Nie, L. 185
Wang, J., see Zhang, T. 53
Wang, X., see Gong, Z. 207
Wei, X., see Chang, X. 231
Wessa, T., see Stahl, U. 27
Wilson, G., see Kim, I.S. 13
Withnall, R., see Shadi, I.T. 115
Wolff, E.W., see Planchon, F.A.M. 193
Wu, K., see Chang, X. 231

Wu, S., see Nie, L. 185

Xu, Q.-S., see Gong, F. 99

Yang, X., see Chang, X. 231
Yao, D.
—, Prodromidis, M.I., Vlessidis, A.G., Karayannis, M.I. and Evmiridis, N.P.
Membrane sampler for interference-free flow injection NO determination in biological fluids with chemiluminescence detection 63

Zhang, T.
—, Liu, F., Chen, W., Wang, J. and Li, K.
Influence of intramolecular hydrogen bond of templates on molecular recognition of molecularly imprinted polymers 53
Zheng, L., see Nie, L. 185